## gSOAP toolkit fact sheet for version release 2.8.0 and up

```
- Intended for C and C++ (with optional use of STL containers)
- Client and server (HTTP/S Web server and SOAP/XML engine included)
- High-performance Web services (measured with 2.2KB XML messages over HTTP):
        3241 roundtrip calls per second on AMD FX-53 2.4GHz, 64-bit Linux 2.6.5
        2990 roundtrip calls per second on AMD Opteron 148 2.2GHz, 64-bit Linux 2.6.5
        2265 roundtrip calls per second on 2x Itanium2 1.4GHz, Linux 2.6.9 IA-64
        1936 roundtrip calls per second on Pentium4 3GHz (w/o HT), Linux 2.6.5
- Small footprint:
        Only 73KB code and 2KB data for XMethods' delayed stock-quote app on Pentium4, Linux 2.6.5, gcc 3.3.3 -O1 Only 100KB code and 2KB data for Google API app on Pentium4, Linux 2.6.5, gcc 3.3.3 -O1
- Portable open-source C/C++ code, field-tested on the following platforms:
        Windows Win32/Win64 (including NT, 2000, XP, Vista, Windows 7), MS-DOS (limited), and Cygwin
        Linux (RedHat, SuSE, and any other "standard" Linux distro),
        Unix (Solaris, HP-UX, FreeBSD, Irix, QNX, AIX, 64bit TRU64, and other)
        Mac OS X (universal)
        OpenVMS
        Tandem NonStop
        Small and embedded OS (VxWorks, WinCE, Palm OS, Symbian).
- Testing and debugging:
        Automatic echo test server code generation (soapcpp2 -T option)
Automatic request/response sample SOAP/XML message generation for testing
        Automatic leak detection in debug mode SOAP 1.1 and 1.2 messaging tested and validated against "soapbuilders Interoperability round 2 A to C" Tested against eBay services, Amazon services, Google services, Wolfram services, Mappoint, and others
- Web service protocol compliance:
        WS-I Basic Profile 1.0a, 1.1, and 1.2 compliant
        Fully WSDL 1.1, SOAP 1.1, and 1.2 compliant
        Full SOAP RPC encoding, SOAP rpc/literal and SOAP document/literal styles
        Request-response, one-way, one-way asynchronous message exchanges
        SOAP-over-UDP
        C14N-exc
        Interoperates with Axis (Java/C), PHP5, SOAP::Lite, SOAP4R, WCF, Weblogic, ZSI, and others
- Other XML-based protocol support:
        XML-RPC
        RSS 0.91, 0.92, and 2.0
- SOAP attachments:
        MIME (SwA)
        DIME (streaming and non-streaming)
        MTOM (streaming and non-streaming)
- WSDL 1.1 and XML schema specification support:
        WS-I Basic Profile 1.0a, 1.1, and 1.2 compliant, WS-Policy 1.2 and WS-SecurityPolicy 1.2
        WSDL to C and C++ source code generation
        XML schema to C or C++ source code generation
C or C++ source code ("header file format") to WSDL and XML schema generation - WS-* protocol support:
        WS-Policy 1.2/1.5 and WS-SecurityPolicy 1.2
        WS-Security (2004/01), provides authentication, signatures, and encryption)
        WS-Addressing (2003/03, 2004/03, 2004/08, 2005/03)
        WS-ReliableMessaging
        WS-Discovery (partial)
        and others: user can translate WS-* protocols with the 'wsdl2h' translation tool
- UDDI v2
        inquire API
        publish API

    REST HTTP 1.0/1.1 and HTTPS support with OpenSSL or GNUTLS:
    GET and POST (plugin support for PUT, HEAD etc)
    Cookies, compression, chunking, keep-alive

        Basic authentication, digest authentication, MD5 checksum
        SSL/TLS encryption and certificate authentication
        SSL session caching
        Proxies and proxy authentication
- Networking support:
        IPv4 and IPv6
        TCP
        UDP unicast and multicast
        GSI (Grid Security Infrastructure through plugins)
Other network stream handlers are available as plug-ins
- Server module support:
        Apache 1.x and 2.0 mod_gsoap
        IIS (ISAPI) and WinInet
        CGI and FastCGI
        Stand-alone Web server (daemon)
- Architecture features:
        Integrated memory management
        Compiler-based XML serialization of native C and C++ data structures Custom serializers and DOM support
        Plug-in architecture supports extensions (message logging, statistics, etc.) Internationalization/localization (UTF8-encoded UCS4 unicode, MB strings)
```

Extensive documentation and numerous examples included